









■ Constitute parts

Number	Parts name	Quantity
1	Bearing chock	1
2	Bearing	1
3	C Type Retaining Ring	1

Material	Finish				
S45C	Black oxide				

г	iow t	o orae	er 🗨 🤈							
		1								
FF	-	12	-							
7./05										
TYPE		No.								
Choose a bearing										
Deep groove ZZ made in Japan ZJ										
Deep groo	ove ZZ r	made in 1	Гаiwan	. ZT						
Deep grot	, v C ZZ I	nauc III	aivvaii							

1														Unit : mm
No.	d	L	Н	F	Dg6		Α	P.C.D	□В	Х	Υ	Z	Bearing	C Type Retaining Ring
6	6	10	6	4	22	-0.007 -0.020	36	28	28	2.4	6.5	4	606ZZ	S6
10	8	12	7	5	28		43	35	35	3.4			608ZZ	S8
12	10	15	7	8	34	-0.009 -0.025	52	42	42	4.5	8	4	6000ZZ	S10
15	15	17	9	8	40		63	50	52	5.5	9.5	5.5	6002ZZ	S15
20	20	20	11	9	57	-0.010 -0.029	85	70	68	6.6	11	6.5	6204ZZ	S20
25	25	24	14	10	63		98	80	79	9	14	8.5	6205ZZ	S25

Corresponding screw & bearing please refer to 2-19 page.







