



Resin gear Pressure angle 20°

M2 M2.5



Material	Color
GW POM	White
GB POM	Black
GM MC	Blue
GK PEEK	Kahaki

How to order



Material chosen & Finish chosen

POM + white.....	GW
POM + black.....	GB
MC.....	GM
PEEK.....	GK

Type B can assignable D

Originally diameter D is 60, also can resize to 57..... **D57**

Unit : mm																														
1	2	3	4	5																										
Number of teeth	Module	A	Shape	Hole shape	Mini. aperture d	D	Number of teeth	Dp	Do																					
12	M2	15.9	A (Only for H hole shape)	H Round hole Round hole + tapping P (120°) PV (90°) <table border="1"> <tr> <th>Axis aperture</th> <th>Tapping</th> </tr> <tr> <td>4~5</td> <td>M3</td> </tr> <tr> <td>6~12</td> <td>M4</td> </tr> <tr> <td>13~30</td> <td>M5</td> </tr> </table>	Axis aperture	Tapping	4~5	M3	6~12	M4	13~30	M5	8~	18	12	24	28													
Axis aperture					Tapping																									
4~5					M3																									
6~12					M4																									
13~30					M5																									
14					20	14	28	32																						
15					24	15	30	34																						
16					26	16	32	36																						
18					30	18	36	40																						
20					32	20	40	44																						
24					38	24	48	52																						
25					40	25	50	54																						
28					45	28	56	60																						
30					50	19	B	Keyway + Tapping N (120°) NV (90°) <table border="1"> <tr> <th>Axis aperture</th> <th>kw(Js9)</th> <th>kh</th> </tr> <tr> <td>8~10</td> <td>3</td> <td>1.4</td> </tr> <tr> <td>NK10</td> <td>4</td> <td>1.8</td> </tr> <tr> <td>11~12</td> <td>4</td> <td>1.8</td> </tr> <tr> <td>13~17</td> <td>5</td> <td>2.3</td> </tr> <tr> <td>18~22</td> <td>6</td> <td>2.8</td> </tr> <tr> <td>23~30</td> <td>8</td> <td>3.3</td> </tr> </table>	Axis aperture	kw(Js9)	kh	8~10		3	1.4	NK10	4	1.8	11~12	4	1.8	13~17	5	2.3	18~22	6	2.8	23~30	8	3.3
Axis aperture	kw(Js9)	kh																												
8~10	3	1.4																												
NK10	4	1.8																												
11~12	4	1.8																												
13~17	5	2.3																												
18~22	6	2.8																												
23~30	8	3.3																												
32	32	64	68																											
35	35	70	74																											
36	36	72	76																											
40	40	80	84																											
45	45	90	94																											
48	48	96	100																											
50	50	100	104																											
60	60	120	124																											
70	70	140	144																											
80	80	160	164																											
90	90	180	184																											
100	100	200	204																											
12	M2.5	22.2	B	Keyway + Tapping N (120°) NV (90°) <table border="1"> <tr> <th>Axis aperture</th> <th>kw(Js9)</th> <th>kh</th> </tr> <tr> <td>8~10</td> <td>3</td> <td>1.4</td> </tr> <tr> <td>NK10</td> <td>4</td> <td>1.8</td> </tr> <tr> <td>11~12</td> <td>4</td> <td>1.8</td> </tr> <tr> <td>13~17</td> <td>5</td> <td>2.3</td> </tr> <tr> <td>18~22</td> <td>6</td> <td>2.8</td> </tr> <tr> <td>23~30</td> <td>8</td> <td>3.3</td> </tr> </table>	Axis aperture	kw(Js9)	kh	8~10	3	1.4	NK10	4	1.8	11~12	4	1.8	13~17	5	2.3	18~22	6	2.8	23~30	8	3.3	8~	23	12	30	35
Axis aperture					kw(Js9)	kh																								
8~10					3	1.4																								
NK10					4	1.8																								
11~12					4	1.8																								
13~17					5	2.3																								
18~22					6	2.8																								
23~30					8	3.3																								
14					25	14	35	40																						
15					30	15	37.5	42.5																						
16					32	16	40	45																						
18					38	18	45	50																						
20					40	20	50	55																						
22					44	22	55	60																						
24	48	24	60	67.5																										
25	50	25	62.5	67.5																										
28	60	28	70	75																										
30	65	30	75	80																										
32	70	25.4	B	Keyway + Tapping N (120°) NV (90°) <table border="1"> <tr> <th>Axis aperture</th> <th>kw(Js9)</th> <th>kh</th> </tr> <tr> <td>8~10</td> <td>3</td> <td>1.4</td> </tr> <tr> <td>NK10</td> <td>4</td> <td>1.8</td> </tr> <tr> <td>11~12</td> <td>4</td> <td>1.8</td> </tr> <tr> <td>13~17</td> <td>5</td> <td>2.3</td> </tr> <tr> <td>18~22</td> <td>6</td> <td>2.8</td> </tr> <tr> <td>23~30</td> <td>8</td> <td>3.3</td> </tr> </table>	Axis aperture	kw(Js9)	kh	8~10	3	1.4	NK10	4	1.8	11~12	4	1.8	13~17	5	2.3	18~22	6	2.8	23~30	8	3.3	10~	32	80	85	
Axis aperture					kw(Js9)	kh																								
8~10					3	1.4																								
NK10					4	1.8																								
11~12					4	1.8																								
13~17					5	2.3																								
18~22					6	2.8																								
23~30					8	3.3																								
35	35	87.5	92.5																											
36	36	90	95																											
40	40	100	105																											
45	45	112.5	117.5																											
48	48	120	125																											
50	50	125	130																											
60	60	150	155																											

※Tooth number data is too late to download, please check CheNa website for details.

※D diameter size can be changed according to design.